

# EAP Method Update (EMU) IETF 73

Chairs

Alan DeKok ([aland@deployingradius.com](mailto:aland@deployingradius.com))

Joseph Salowey ([jsalowey@cisco.com](mailto:jsalowey@cisco.com))

# Note Well

•Any submission to the IETF intended by the Contributor for publication as all or part of an IETF Internet-Draft or RFC and any statement made within the context of an IETF activity is considered an "IETF Contribution". Such statements include oral statements in IETF sessions, as well as written and electronic communications made at any time or place, which are addressed to:

- the IETF plenary session,
- any IETF working group or portion thereof,
- the IESG or any member thereof on behalf of the IESG,
- the IAB or any member thereof on behalf of the IAB,
- any IETF mailing list, including the IETF list itself,
- any working group or design team list, or any other list
- functioning under IETF auspices,
- the RFC Editor or the Internet-Drafts function

•  
All IETF Contributions are subject to the rules of RFC 3978 (updated by RFC 4748) and RFC 3979(updated by RFC 4879).

•Statements made outside of an IETF session, mailing list or other function, that are clearly not intended to be input to an IETF activity, group or function, are not IETF Contributions in the context of this notice.

•Please consult RFC 3978 (and RFC 4748) for details.

•A participant in any IETF activity is deemed to accept all IETF rules of process, as documented in Best Current Practices RFCs and IESG Statements.

# Agenda

- Preliminaries (9:00 – 9:10)
  - Blue Sheets, Note Takers, Jabber Scribe, Agenda bashing
- EAP-GPSK (9:10 – 9:20)
- Tunnel Method Requirements (9:20 – 10: 20)
  - draft-ietf-emu-eaptunnel-req-01.txt
- Channel Bindings (10:20 – 11:00)
  - internet-drafts/draft-clancy-emu-chbind-04.txt
- RFC 4282 and Internationalization (11:00 – 11:30)

# GPSK

- Completed last call
- IESG Review
  - Comments from Tim Polk, Jari Arkko, Chris Newman
  - Discuss from Pasi Eronen – IANA Actions – addresses by Charles
- Comments mostly editorial – is a new ID needed?

