## RSVP Management Information Base

Fred Baker

Cisco Systems

## Textual Conventions

- RSVP Encapsulation
- Refresh Interval
- QoS Service
- Delay Class
- Burst Size
- Time To Live (TTL)
- IP Address String
- IP Protocol
- UDP/TCP Port

## Tables

- Session Senders
- Session Reservations
- Session Reservation Requests
- Interface Attributes

## Session Sender Database

- List Of PATH Messages
- Index
  - Destination Address, Protocol, Port
  - Source Address, Port
  - Previous Hop?

## Session Sender Database Attributes

- Time To Live (TTL)
- Sender TSpec Token Bucket
- Previous Hop Interface, Address
- Refresh Interval
- Time Of Last Change

## Session Reservation Database

- List Of RESV Messages Received
- Index
  - Destination Address, Protocol, Port
  - Source Address, Port
  - Next Hop Interface, Address

## Session Reservation Database Attributes

- RSpec
  - Token Bucket
  - Delay Class
  - Requested QoS Service
- Refresh Interval
- Scope (List Of IP Addresses)
- Is Reservation Shared/Distinct?
- Is Reservation Explicit/Wildcard?
- Time Of Last Change

## Session Reservation Request Database

- List Of RESV Messages Being Sent
- Index
  - Destination Address, Protocol, Port
  - Source Address, Port
  - Previous Hop Interface, Address

## Session Reservation Request Database Attributes

- RSpec
  - Token Bucket
  - Delay Class
  - Requested QoS Service
- Refresh Interval
- Scope (List Of IP Addresses)
- Is Reservation Shared/Distinct?
- Is Reservation Explicit/Wildcard?
- Time Of Last Change

## RSVP Interface Attributes

- Index
  - Interface Index (ifIndex)
- Displays
  - #UDP Neighbors
  - #IP Neighbors
  - #Total Neighbors
- Configures
  - Enabled (Boolean)
  - UDP Required (Boolean)

## Session Table

- Index
  - Destination Address, Protocol, Port
- Displays
  - Number Of Senders
  - Number Of Receivers
  - Number Of Upstream Requests

## The Instance Problem

- Instance in the MIB as it stands
  - Destination Address, Source Address, IP Protocol, UDP/TCP Ports
- In other words, appropriate to type 1 sessions
- Dumb question of the day:
  - "What do we do for IP6? Is a MIB needed? How to address this? Do we need a MIB for secure sessions?"

## Proposal for Instance

- Octet String (variable length)
- First octet is session type
- remaining octets defined by session type