

CAPWAP Protocol Concerns

Richard Gwee Republic Polytechnic richard_gwee@rp.sg

Agenda

- Issue #1: Changes in CAPWAP State Machine
- Issue #2: Load Balancing for WTP
- Issue #3: General Statistics for CAPWAP
- Issue #4: Firmware Trigger




Changes in CAPWAP State Machine

- State Machine specified in draft requires details.
- There is no clear indication on how the transition goes from DTLS-complete state to Configure state or Image Data state.
- There should be clear basis on how the protocol should handle the various states.



Changes in CAPWAP State Machine

 Suggestion:- To change the state machine as in the following figure.





Load Balancing for WTP

- In Section 5.2.4 and 5.2.5 WTP Manager Control, it has been stated that the message element is useful for load balancing.
- Message element only contains IP addresses and WTP count.
- Are such information sufficient to provide effective load balancing?



Load Balancing for WTP

- Suggestion:- To introduce more parameters in the message element for WTP manager.
- Other than IP addresses & WTP count, we should include
 - Traffic loading
 - Network Congestion
 - Etc.



General Statistics for CAPWAP

- The CAPWAP protocol needs regular statistics exchange.
- Statistics should be applicable for the overall network, e.g. congestion, traffic loading, channel interferences etc.
- Size of statistics element ≈ 4 8 bytes.
- Echo Request is regularly exchanged between WTP and AC.




General Statistics for CAPWAP

- Suggestion:- To include general statistics message elements in the Echo Request message.
- Suggestion made in CAPWAP Comparative Analysis. (Section 4.6.1)



General Statistics for CAPWAP



Firmware Trigger

- No clear indication of periodic firmware trigger in the State Machine
- Firmware Management optional in CAPWAP draft specification (Section 4.3)
- Firmware updates should be periodic and on a proactive basis so as to ensure consistent firmware version across the network.



Firmware Trigger

- Suggestion:- To introduce periodic firmware trigger in CAPWAP protocol.
- Firmware Management should be mandatory.
- Suggestion made in CAPWAP Comparative Analysis. (Section 4.1.5)

