Data Discovery

draft-mcbride-data-discovery-problem-statement-00

Eve Schooler - Intel
Carlos J Bernardos - UC3M
Mike McBride - Futurewei
Dirk Kutscher - Emden University
Diego Lopez - Telefonica

What's the problem?

- Locating data in a standardized way.

- Yes, there are many proprietary ways of finding data.

- Data may be cached, copied and/or stored at multiple locations in the network on route to its final destination.

- Need a standards based solution to discover 1)where the databases exist throughout a network and 2)where specific data objects are located.

- The location of each data store is the first level discovery problem, and the details of the database's directory is the second level discovery problem.

Evolved out of a EC side meeting

Gap 1: to define the mapping between any two popular machine languages

Gap 2: In order to achieve the interconnection of multiple Industrial networks that use various physical layers, an overlay is required.

Gap 3: unified information model for all kinds of verticals

Gap 4: content push in a more secure (SUIT) and efficient (multicast) way

Gap 5: Provide containers and VMs on edge computing gateways to facilitate App mobility. Sync up of states in between Edge Computing Gateways. Definition of common APIs.

Gap 6: Edge **data discovery.** Process of finding required data from edge databases and consolidating it into a single source, perhaps name, that can be evaluated

Gap 7: add the deterministic feature into wireless networks (Wifi, RF)

Gap 8: policy indications about the task division for the Edge-Cloud Orchestration

Data Discovery Drafts

1. Data Discovery Problem Statement
2. Edge Data Discovery
3. Mobile Data Discovery
   .
   .
   .

Elevator use case

2G/3G/4G

Machine Room

Top Car

Inside Car

Elevator shaft

100's of sensors

Data

Data

Data

Internet

Big Data Analysis and Predictive Maintenance on the Cloud

94.8

99.a

2

data needs to be discovered and searched in a standard and granular way.

What's next?

- Determine if existing protocols will work here.
- If not, target where a new standard protocol is needed.
- Maybe work on it in COIN or a new IETF BOF.

Thank you !