

RTP Testing Strategies

Colin Perkins <c.perkins@cs.ucl.ac.uk>

Department of Computer Science

University College London

Gower Street

London WC1E 6BT

Objectives

A new draft (draft-ietf-avt-rtpptest-00.txt) suggests means by which RTP implementations may be tested, to


- help demonstrate interoperability
- illustrate common implementation errors

This is *not* a set of conformance tests!

Functions tested

- End systems
 - Media transport
 - Basic RTCP including SR/RR, reaction to loss
 - RTCP SDES, BYE, APP
- Translators
- Mixers

Media Transport – Test Scenario



- Test instrument can delay or drop packets passing between the two implementations
- Test instrument can record packet contents for analysis

Media Transport – RTP Tests

Test instrument forwards packets with no loss or delay.

Verify exchange of media with a variety of codecs, including the following edge conditions:

- Timestamp & sequence number wraparound
- Padding, marker bit, header extension
- Sequence number increment, random start value
- Timestamp increment and, random start value
- Random choice of SSRC

Media Transport – Basic RTCP Tests

Test instrument forwards packets with no loss or delay.

Verify the following:

- Structure of compound RTCP packets
- Consistency of SR/RR headers with the data packets being sent
- RR packets show low jitter and no loss
- SDES packets – especially CNAME – and their correctness
- BYE packets – including ‘reason for leaving’ text

Media Transport – Advanced RTCP Tests


Test instrument variously inserts delay and/or loss.

Verify the following:

- Loss fraction in RR matches loss generated
- Jitter in RR varies with delay generated

Verify playout of media streams subject to small amount of delay/loss.

Translators – Test Scenario




Similar to previous tests, but with the translator forwarding packets between the implementations.

Translators – Tests

- Playout of translated stream
- Forwarding of RTCP packets
- Check that translated SR/RR match the translation

Details depend on the translation, so hard to give exact tests.

Mixers – Test Scenario



Mixers – Tests

- Playout of mixed stream
- CC is set to 2 and CSRC list is present in RTP packets
- RTP packets have SSRC of the mixer
- RR packets generated towards sender
- SR packets generated towards receivers
- Forwarding of SDES packets
- Forwarding of BYEs, generation of BYE when mixer quits

To do...

- Tests for loop detection algorithm
- Tests for encrypted media
- Merge with the RTCP testing draft?

Futures...

- Is this sort of document a good idea?
- Make an informational RFC giving testing strategies for RTP implementations?