

Update on Kerberos Extensibility

`draft-yu-krb-wg-kerberos-extensions-01.txt`

Tom Yu

IETF 60

Kerberos Extensibility

- Document Status
- TGS-REQ Oddities
- Notational Conventions
- One Module or Two?

Document Status

- Update I-D boilerplate
- Drop information object notation (for now)
- More text explaining ASN.1 usage
- More KDC-REQ description
- Tighten constraints on IA5 vs UTF8 strings

TGS-REQ Oddities

- Ticket flags from TGS-REQ ticket copied unchanged?
- How do flags in TGS-REQ affect flags in ticket?
- Can TGS-REQ clear flags present in ticket?

Notational Conventions

- Which convention for identifiers in running text?
- ASN.1 distinguishes types vs values by case of identifier
- Possibly confuses readers

Notational Conventions (cont'd)

- RFC 1510 and Clarifications use C-styled `ALL_CAPS`

- C-styled:

```
#define KDC_ERR_PREAUTH_FAILED 24
```

- ASN.1-styled:

```
kdc-err-preauth-failed ErrorCode ::= 24
```

- `ALL_CAPS` vs "quoted"?

One Module or Two?

- One module
 - Ease of maintenance
 - Highlight changes since clarifications
 - Somewhat less readable by humans
- Two modules
 - Somewhat more readable by humans
 - More difficult to maintain