# BGP, where are we now?

John Scudder and David Ward IETF-68, March 22, 2007

### Agenda

- Trivia
- Dynamic behavior
- Convergence properties and problems
- Convergence/stability work items

#### Goals and Priorities

- Goal: Maximize connectivity of Internet
- Convergence and stability are subsidiary to this
- Implication: Priorities
  - First: fastest service restoration
  - Second: minimize peak load on control plane

#### Focus

- This talk focuses on performance and stability
- There are other very important aspects of BGP
  - Services
  - Operations
  - Weird behaviors (wedgies, etc)
  - Security
  - ..
  - But we don't have all day

#### Shalt Not's

- BGP uses ASes for loop suppression and nothing else!
  - Speaking of "overloading things"... ASes are not locators. No topological significance.
- Auto-aggregation appears to be a nonstarter
  - Even proxy aggregation is tricky, but that's an operational consideration

### MP-BGP

- BGP carries data for multiple address families (AFs)
  - Plain old IP (v4, v6)
  - VPNv4
  - Other things
- Not all AFs need to be present on all routers!

### VPNs

- Often observed that VPN tables larger than Internet table
  - True, in aggregate
  - But, not true of any single VPN table
- Inherently parallelizable
  - No single PE or RR holds all VPN tables
  - Operational challenges to managing
    - Some tools to do this, e.g. rt-constrain

### BGP dynamic behavior

- Confusion even among routing experts
- Of course, surprising emergent behaviors are possible
- ... but important to understand bounding conditions

#### BGP and TCP

#### • BGP runs over TCP

- Flow control: important implications for dynamics
- Intuition about TCP is usually wrong...

### BGP under load

- When uncongested, BGP will pass updates as fast as they are received
  - Modulo MRAI, dampening
- Degradation mode under (CPU) congestion: state compression
  - "Adaptive low-pass filter" behavior emerges
  - Things slow down, they typically do not melt

### BGP under load [2]

- BGP adapts to speed of peer
  - Slow peer gets routes as slow as it wants (with state compression)
  - Fast peer gets routes as fast as it wants
  - Implication: One slow peer does not hinder overall convergence
- Update packing
  - Low prefix/update ratios when not congested... but that's fine!
  - High ratios emerge under congestion... which is when needed

### BGP convergence

- At least O(n) in the size of the DFZ table
  - Fundamental to how BGP transports routes
- But full convergences don't happen often!
  - At startup ("initial convergence")
  - On rare occasions otherwise
- Hard to "fix" completely but is it broke?
  - "BGP's biggest, yet least important, problem."

# BGP convergence [2]

- Techniques to avoid full convergences
  - Graceful Restart
  - Nonstop Routing
- ... or to cover them up
  - Different flavors of fast reroute
- ... or to pre-converge by advertising extra routes
  - Best-external, multi-path and similar

### Route Reflection

#### • RRs hide backup paths

- Reduce RIB sizes (but less than you think)
- Bad for convergence
- Convergence:
  - State reduction/data hiding
  - Faster convergence
  - Pick one

### Known Algorithmic Deficiencies

- Path hunting
- Nonconverging policies
- At least O(n) in DFZ size

### Path Hunting

- Well-known amplification effect
- Approaches to reduce
  - Root cause notification
  - Propagation of backup paths

### Propagation of Backup Paths

- Transit ASes seldom fully partition from each other
- However, when a single AS-AS link goes down, border router temporarily loses routes
  - Due to aggressive data hiding by less-preferred border routers and RRs

### Propagation of Backup Paths [2]

- Speculation: many "path disturbance" events caused by this effect
- Intra-domain backup propagation feasible today
- Cost: some additional RIB state within AS
- Benefit: faster internal convergence and global stability

### Some Possible Tools

- As-pathlimit
- Aggregate withdraw
- Best-external
- Better instrumentation reusing WRD infra
- BGP free core (pick your encap)

- Dampening (with better parameters)
- Multi-path
- Root cause notification

## Moving Forward

- Narrow down (or expand!) "possible tools" list
- Align costs and benefits
  - Those who pay, must benefit, or solution will never be deployed
  - Many examples of existing technically-excellent "solutions" to current problems... but problems still exist. Example: BCP-38
  - Deployment trumps all considerations!
- Focus on behavior under load (or making load go away!)

### Dampening

- Misused in past (we were wrong about default parameters)
- Heavy contribution of few sites to GH data suggests very generous parameters which only penalize egregious flappers
  - Study needed to validate what constitutes "egregious"
- Given parameters, can be turned on today
  - Lower-than-low hanging fruit
  - Aligns costs and benefits

### Punch Line

- BGP not in danger of falling over
  - Lots of runway
- IDR
  - Near-term improvements
- RRG
  - Fundamental changes, e.g. new routing and addressing architectures