IMAP CONVERT

Alexey Melnikov Stéphane Maes Ray Cromwell

draft-ietf-lemonade-convert-10.txt

Open issue

- Do we need BODYPARTSTRUCTURE to be returned
 - only when requested
 - Always (i.e. on CONVERT.SIZE)
 - only on the first request for a particular body part conversion

IMAP NOTIFY

Arnt Gulbrandsen Curtis King Alexey Melnikov

draft-gulbrandsen-imap-notify-07.txt

IETF 69 - Chicago, USA

Major changes since Prague IETF

- Extended the NOTIFY command to allow disabling of all events (NOTIFY NONE), replacement of events (NOTIFY SET) and addition of new events (NOTIFY ADD)
- Defined which IMAP Access Control List rights needed to different events
- Many clarifications about which responses are used for returning of different events. E.g. extended LIST response is used to return renamed mailboxes
- Allow for better binding of events to mailboxes (.e.g. "a mailbox and its children" or "all subscribed mailboxes)
- (editorial) Renamed events to keep in sync with draft-ietflemonade-msgevent-04.txt
- (editorial) many fixes to examples, changes to ABNF, etc.

Open Issues/ToDo (1 of 3)

- (Arnt) it would be nice to control if STATUS responses are returned on NOTIFY SET/ADD or not [bandwidth]
- (Arnt) does client need to tell the server to bind several IMAP connections together?
- When the NOTIFY command should return tagged NO response due to access controls

Open Issues (2 of 3)

- (Alexey) Need to clarify that lack of the MessageExpunge event means default IMAP behaviour (== no EXPUNGE response can be sent when there is no command in progress)
- Some events don't have a corresponding event in draft-ietf-lemonade-msgevent-04.txt (is this a problem?)
- (Peter Coates) allow to specify a single search criteria for multiple events

Open Issues (3 of 3)

- (Peter Coates) Remove messagesearch-criteria from the NOTIFY extension, use CONTEXT instead
- (Peter Coates) get rid of the fetch-atts on MessageNew event [Alexey: Disallow fetch-atts on non-selected mailboxes (?)]

LEMONADE Profile bis

Dave Cridland Alexey Melnikov Stéphane Maes

draft-ietf-lemonade-profile-bis-05.txt

July 23, 2007

IETF 69 - Chicago, USA

Profile MUST implement

<u>IMAP</u>

- STARTTLS
- CATENATE
- URLAUTH
- UIDPLUS
- LITERAL+
- CONDSTORE
- NAMESPACE
- IDLE

<u>ESMTP</u>

- AUTH
- STARTTLS
- PIPELINING
- 8BITMIME
- CHUNKING
- BINARYMIME
- DSN
- SIZE
- ENHANCEDSTATUSCODES
- BURL

Phase bis - MUST implement (IMAP, documents completed)

[green – need to be added to the Profile Bis draft]

- ✓ All of Profile
- ✓ Quick Reconnect (QRESYNC), **SASL-IR**
- ✓ Search/sort extensions: ESEARCH, WITHIN, SORT
- ✓ COMPARATOR (draft-imapext-i18n)
- Views: CONTEXT=SEARCH, CONTEXT=SORT & ESORT
 (?) (draft-cridland-imap-contexts-03.txt)
- ✓ **ENABLE**, METADATA, LIST-EXTENDED
- ✓ Bandwidth optimizations

✓ COMPRESS=DEFLATE

- ✓ BINARY (including APPEND)
- ✓ Content Transformation: CONVERT (Static)
- Allow Partial URLs in CATENATE and URLAUTH (needs new IMAP capability)

July 23, 2007

IETF 69 - Chicago, USA

Phase bis - MUST implement (IMAP, work in progress)

- In-band notifications: NOTIFY (draft-gulbrandsenimap-notify-07.txt)
- Streaming (URLAUTH extension) ?
- Storing views on the server: draft-melnikovimapext-filters-00.txt (?)

Phase bis - MUST implement (SMTP)

- ✓ All of Profile
- QUICKSTART (draft-fanf-smtp-quickstart-00) out?

Phase bis -Optional/undecided

Out-band notifications

SIEVE Filters (?)

- Format
- One or more example binding to a notification protocol (BIFF BOF?)

✓ IMAP Sieve

– How to manage scripts?