#### ALTO for LMAP draft-seedorf-Imap-alto-00

<u>Jan Seedorf</u> Vijay Gurbani Enrico Marocco

IETF 86, Orlando LMAP BoF March 2013

## **Overview & Motivation**

#### How to make "Large-Scale Measurement of Broadband Performance" measurement results available?

- Status quo (of measurement result publication):
  - very high level human-readable format (pdf, jpeg, ...)
  - finest granularity level (csv)
- Question: Are there use cases that benefit from an intermediate way to provide access to large-scale network measurement results?
  - flexible enough to allow for querying of specific and possibly aggregated data
- $\rightarrow$  If answer to question is yes, ALTO may be a good candidate

## **Overall measurement framework**



### Example Use Cases

- Video Streaming Service Provider
  - may be useful to be able to query for average measurement values regarding a particular end user's access network provider
  - Such data could help the service provider to optimize/parametrize its HTTP adaptive streaming service
- Website Front End Optimization
  - A website might be interested in statistics about average connectivity types / download speeds for a given end user request
  - Useful information to dynamically adapt HTML/CSS/JavaScript content
- Troubleshooting
  - In general, any service on the Internet may be interested in LMAP data for troubleshooting.

# Advantages of using ALTO

- A very lightweight JSON-based encoding for network information (set of REST APIs on top of HTTP)
- ALTO "network map": abstracts physical network topology into an aggregated but logical topology
  - individual hosts are aggregated into a well defined network location identifier called a PID
- ALTO "cost map": associates "costs" between two network locations (PIDs)
  - Costs can indicate e.g. routing hops, the financial cost of sending data over the link, available bandwidth on the link, or a userdefined cost attribute that allows arbitrary reasoning

#### Discussion

 Are there use cases that benefit from being able to query for specific, possibly aggregated, measurement results in a flexible way?

• If yes, would ALTO be useful to provide such a query-response mechanism?

#### Acknowledgements

 Jan Seedorf is partially supported by the mPlane project (mPlane: an Intelligent Measurement Plane for Future Network and Application Management), a research project supported by the European Commission under its 7th Framework Program (contract no. 318627). The views and conclusions contained herein are those of the authors and should not be interpreted as necessarily representing the official policies or endorsements, either expressed or implied, of the mPlane project or the European Commission.