

# **A SIP Usage for RELOAD**

draft-ietf-p2psip-sip-09

Thomas C. Schmidt  
t.schmidt@ieee.org

# Status of the Draft

- o draft-ietf-p2psip-sip-08 update Dec. '12
  - All issues from IETF 85 worked in
  - Review by Marc pointed to additional issues
  
- o draft-ietf-p2psip-sip-09 update Feb. '13
  - Fixed open issues
  - Currently all seems set??

# Changes in Version -08

Clarified two types of use cases:

1. Highly regulated environment of a "single provider" (AORs bound to provider names)
2. Multi-party infrastructure (liberal permission to use AORs)

⇒ Make AOR style configurable in the Overlay Configuration Document

# Changes in Version -08 (2)

- o Specified syntax for contact\_prefs
  - Media feature set syntax of [[RFC2533](#)]
- o Clarified routing to AORs
  - Now compliant with domain support in overlay
- o Extended security section
  - Added text on misuse of AORs
- o Added IANA code points
  - SIP-REGISTRATION Kind ID = 1
- o Appendix on Third Party Registration
  - Outlook on how to do with ShaRe

# Issues Fixed in Version -09

Use of SIPs was missing

- o Included SIPS and use of port 5061 in the application field

Configuration document extensions undefined

- o Now specified as Posix regular expressions

IANA registration missing for config XML namespace

- o Added request for

`urn:ietf:params:xml:ns:p2p:config-base:sip`

Anything else missing?

Ready for WGLC?