

# LISP Multicast Replication Engineering

*draft-coras-lisp-re-03*


MBONED WG  
Berlin IETF - July 2013

*Dino Farinacci  
Florin Coras  
Albert Cabellos-Aparicio  
Jordi Domingo-Pascual  
Fabio Maino*


# Agenda

- Do we really want ubiquitous multicast?
- Do we want multicast sources to be mobile?
- Do we want IPv6 multicast over an IPv4 infrastructure
- If so, we have to encapsulate multicast inside of unicast
- And we have to do it in a scalable way
- LISP-RE allows us to decide where replication points are in the network
- We will avoid head-end replication in sources and upstream routers


# The Problem



# A Solution



# But When No Multicast in Core




# LISP-RE

- Introduces a multi-level RTR hierarchy
- RTRs and levels are registered as RLOCs in a mapping database entry for (S-EID-prefix, G-prefix)
- Protocol signaling (PIM or LISP) is used by ETRs to join to level-( $n$ ) RTRs
- Level-( $n$ ) RTRs join to level-( $n-1$ ) RTRs
- Level-0 RTRs join to ITRs

# LISP-RE

- The Mapping Database Entry informs **how** to build distribution trees
- Protocol signaling informs replicators **where** to forward packets per (S-EIDi, Gi)
- Signaling tells downstream if upstream can reach it - if not, join to alternate upstream
- RLOC probing from upstream to downstream can be used to determine which RLOC To used in a joining RLOC-set

# Possible Deployment



# This is Fresh Work

- Work began Atlanta IETF
- UPC guys are working on optimization algorithms
- Considering how LISP-TE ELPs can be used to describe multi-level RTR paths
- An RTR level could be reachable via a DG
- Testing Network Controller approach

# Questions?