

RTP Control Protocol (RTCP) Extended Report (XR) Block for MPEG2 Transport Stream (TS) Program Specific Information (PSI) dependent Decodability Statistics Metrics reporting

draft-bi-xrblock-rtcp-xr-psi-dep-
decodability-02

Clair Bi(bijy@sttri.com.cn)

Jiangang Tong (tongjg@sttri.com.cn)

Roni Even(roni.even.tlv@gmail.com)

Qin Wu (bill.wu@huawei.com)

Rachel Huang (rachel.huang@huawei.com)

Document Status

- What is this draft about?
 - Supports reporting information on MPEG2 TS PSI related Decodability Statistics parameters
- Where are we about this draft?
 - This draft (v-01) was firstly presented In last Berlin IETF 87 meeting,
 - Alan Clark suggested the addition of the PID to the report.
 - PID combining with SSRC can be used to identify each TS stream in the RTP stream.
 - Clarified the difference between PAT_error_Count and PAT_error_2_Count
 - PAT_error_count is used to report error when PAT doesn't occur at least every 0.5s
 - PAT_error2 is used to report the error when PAT table has an ID other than Hex 00
- One update from (-01) to (-02) were issued to address the comments raised on the list.
 - The update incorporates proposed changes from Alan.
 - The main changes
 - Add a PID used to identify each TS stream

Follow Up

- Comments are addressed?
- Request for adoption as a new work item.