

Experimental/private attributes for PIM Registries

J.W. Atwood – Concordia

Stig Venaas - Cisco

Background

- RFC 3692 recommends allocating experimental code points
- This provides a “sandbox” with no rules
 - It is the users’ responsibility to ensure that he does not trample anyone
- Very much like an RFC 1918 “private address”, but taken from a much smaller address space.

Protocol Independent Multicast (PIM) Parameters registry

- PIM Join Attribute Types
 - 64 code points, used 4 so far
 - Explicit RPF and LISP join attributes will need to allocate 3 more.
- Encoded-Source Address Encoding Type Field
 - 256 code points, used 2 so far.
- IETF review is required to allocate from these spaces

“Experimental Use” code points

- RFC 3692 recommends having at least one value for experiments
 - For experiments only, should not be used in products. Different experiments are likely to use the same value, hence not for general deployments.
 - Should be ignored by default.

“Private Use” code points

- Another Category, defined in RFC 5226
 - “Private Use” appears to be for within a site
 - “Experimental Use” is to facilitate experiments
- Since the expected use of these allocations would not likely be confined to a single site, we recommend “Experimental Use”.

draft-atwood-pim-reserve-exp-00

- Proposes
 - 2 experimental attribute code points
 - 4 experimental encoding types

- WG adoption?