

Support of IEEE-1588 time stamp format in TWAMP

draft-mirsky-ippm-time-format-00

Greg Mirsky gregory.mirsky@ericsson.com

Ramanathan Lakshmiathan ramlak@gmail.com

Suchit Bansal suchit.bansal@ericsson.com

Israel Meilik israel@broadcom.com

IETF-92 March, 2015, Dallas

Problem Statement

- OWAMP and TWAMP allow only use of 64 bit-long NTP time stamp format
- IEEE-1588v2 has gained wide support and now is supported by many fast forwarding engines
- Provide ability to use other than NTP time stamp format in backward compatible manner
- This proposal defines OWAMP and TWAMP extensions to enable use of 1588v2 truncated format (64 bit-long)

Updates to Control Protocols

- Use Modes field to advertise and negotiate time stamp format between Server and Control-Client
- Define two new flags:
 - NTP Timestamp Capability
 - PTP Timestamp Capability
- Timestamp Capability advertisement and negotiation procedures for OWAMP and TWAMP Control protocols defined

Update to Test Protocols

- Use Z field in Error Estimate to indicate time stamp format used by the network element:
 - 0 – NTP 64 bit-long format
 - 1 – 1588v2 truncated 64 bit-long format

S	Z	Scale	Multiplier
---	---	-------	------------

TWAMP Light Consideration

- Session-Sender and Session-Reflector MAY be informed, e.g. through configuration, of time stamp format to be used, according to their capabilities and rules used to negotiate time stamp format between Server and Control-Client

Next steps

- Welcome comments from the WG
- Continue work on the proposal