
Ark Update: Present & Future

Young Hyun (presented by kc) CAIDA

2 Nov 2015



Archipelago
Measurement Infrastructure

Monitor Deployment




• 135 monitors in 40 countries

- 86 Raspberry Pi's
- 53 have IPv6
- 35 have RADclock

Organizations

- ~48 academic
- ~50 residential
- ~23 commercial/business
- ~10 network infrastructure
- ~2 other

Raspberry Pi



1st gen

- 700MHz ARMv6
- 512MB RAM

2nd gen

- 900MHz quad-core ARMv7
- 1GB RAM


both

- 100 Mbps Ethernet
- 8GB SD card
- \$35 for bare board



~\$68 complete system

- Marinda distributed tuple space
 - stores tuples: arrays of strings, numbers, and sub-arrays
 - users retrieve tuples by structural pattern matching (not regex)
 - enables communication and coordination
 - persistent encrypted TCP connections with transparent reconnects
 - decentralized (peer-to-peer) or client-server communication
 - supports broadcast, RPC, publish-subscribe, Bag-of-Tasks styles



- mper probing engine
 - based on Matthew Luckie's scamper
 - send/receive individual IPv4 ICMP, UDP, TCP packets
 - no traceroute or other high-level measurement functions
 - new control socket interface providing measurement API
 - write measurement scripts in Ruby (e.g., MIDAR)
 - Alistair King ported scamper's traceroute code to mper in Ruby

```
require 'mperio'
class Prober
  def initialize
    @mperio = MperIO.new 8742 # mper listening port
    @mperio.delegate = self
    @mperio.ping_icmp 1, "192.172.226.123",
                      :ttl, 3, :cksum, 0x1234, :rr, true,
                      :tsps, ["192.172.226.1", "192.172.226.2"]
    @mperio.start
  end
  def mperio_on_data(result)
    if result.responded?
      printf "%d %d\n", result.rx_sec, result.reply_ipid
    end
    @mperio.stop
 end
end
```


Dolphin

- conducts parallel PTR DNS lookups of IPv4 and IPv6 addresses
 - millions of lookups per day from a single host
- retries failed lookups once per day for up to 3 days
- ensures targets only looked up once in any 7 days regardless of TTL
 - reduces load on authoritative DNS servers
- built on libunbound (part of Unbound by NLnet Labs)
 - a validating, recursive, caching resolver in a library; IPv4/IPv6/DNSSEC
- hackable: single Python source file (845 lines)
 - no installation or root privileges required

- qr
 - similar to Dolphin but more focused
 - only DNS lookups; no retries, no suppression of repeated lookups
 - supports PTR, SOA, A, AAAA lookups
 - uses *ldns* library for low-level structured access to raw DNS response packets
 - response header flags (e.g., AA)
 - records in authority and additional sections (e.g., glue, SOA, and DNSSEC records)
 - hackable: 513 lines of Python

- qr case study: PTR lookups of routed address space
 - 2.69 billion addresses (excluding .0 and .255 in each /24)
 - 3.6k queries/sec \Rightarrow 317M queries/day \Rightarrow 8.5 days
 - did full run in Aug 2014; data available

- MIDAR: Monotonic ID-Based Alias Resolution
 - Monotonic Bounds Test: for two addresses to be aliases, their combined IP-ID time series must be monotonic
 - 4 probing methods: TCP, UDP, ICMP, "indirect" (traceroute-like TTL expired)
 - sliding-window probe scheduling for scalability
 - multiple sources



- tod-client: on-demand topology measurements
 - scriptable command-line interface for performing IPv4 and IPv6 traceroutes and pings


```
$ tod-client -h
1 san-us ping 192.172.226.123
ping from 192.172.226.5 to 192.172.226.123
 1: 192.172.226.123 0.092 ms 64 TTL
 2 lax-us trace 192.172.226.123
traceroute from 137.164.30.25 to 192.172.226.123
 1.1: 137.164.30.1 0.183 ms
 2.1: 137.164.46.105 0.787 ms
 3.1: 137.164.46.54 2.623 ms
```


```
$ tod-client
1 san-us ping 2001:48d0:101:501::132 attempts=1
1 data 2001:48d0:101:501::132 P 2001:48d0:101:501::5
2001:48d0:101:501::132 0
                                  1
                                           1328149101
                                                            R
0.353 1 64
2001:48d0:101:501::132,0.353,64
2 lax-us trace <a href="https://www.caida.org">www.caida.org</a> attempts=1, method=icmp-paris
2 data <a href="https://www.caida.org">www.caida.org</a> T 137.164.30.25 192.172.226.123 0
        1328145600 R 9.766 7
                                                    58
                 137.164.30.1,0.147,1
137.164.46.105,1.045,1 137.164.46.54,2.559,1
137.164.47.15,9.750,1 137.164.23.130,17.992,1
132.249.31.6,9.886,1
```

#!/usr/bin/env ruby require 'marine

```
$ ./tod-example ["RESULT", "ark", 2, "lax-us", "www.caida.org", "data", "T \t137.164.30.25\t192.172.226.123\t0\t1\t1328226507\tR\t9.838\t7\t58\t5\t0\tC\t137.164.30.1,0.176,1\t137.164.46.105,1.110,1 \t137.164.46.54,3.015,1\t137.164.47.15,9.681,1 \t137.164.23.130,10.178,1\t132.249.31.6,9.860,1"]
```


- Vela: web interface to conduct topology measurements
 - currently, ping and traceroute (ICMP, TCP, UDP)





Measurements

- IPv4 topology
 - traceroutes to random address in each routed /24
 - 570 million traces/month
- IPv6 topology
 - traceroutes to random address and :: 1 in each routed prefix
 - pings to IPv6 addresses of Alexa top 1 million sites
 - 16 million traces/month
- PTR DNS lookups of observed IPv4 and IPv6 addresses



Measurements

- alias resolution
 - MIDAR: collects IP-ID time series with TCP, UDP, and ICMP
 - iffinder: elicits ICMP port unreachable with UDP
- congestion at inter-domain peering links
 - elicits ICMP TTL-expired at adjacent IP hops
 - look for jumps in RTT across links

Ark Usage

- multiple ways of using Ark
 - simplest: Vela
 - more control: tod-client
 - example: Rob Beverly's IPv6 subnet topology discovery technique
 - full control + high packet rates: shell access
 - standard desktop/server Unix environment (not embedded)
 - raw socket access; no modifications required (no secure raw sockets layer)
 - compile and run any existing Unix program
 - write measurements in Ruby with Ark software
 - examples: middlebox study, Speedtrap IPv6 alias resolution, Casey Deccio's cctld DNS study (with dnsget)

Future

- improve data accessibility
 - create an interface for **browsing**, **querying**, and **visualizing** the data gathered by the infrastructure
 - command-line and web interfaces

852 5413 8492 1299 9002 3130 9269 1273

prototype viz showing differences between a traceroute path and BGP AS paths

Future


• browsing interface

view broad properties and summary statistics over multiple time

scales and aggregation levels

 example: trace counts and response rates; path-length and RTT distributions; inferred AS links

prototype view of traceroute RTTs implemented with CAIDA's Charthouse



Future


• query interface

- find the most relevant historical data for one's research
 - either directly answers a question, or identifies data to download for further study

examples:

- all traceroutes through a given region and time period toward/across a particular prefix/AS
- router address aliases for a given IP address
- all inferred links to a router identified by a given IP address
- all routers in a given city

Thanks!



www.caida.org/projects/ark

For questions, or to offer hosting: ark-info@caida.org