

Two-Way Active Measurement Protocol (TWAMP) Data Model

draft-cmzrjp-ippm-twamp-yang-02



Ruth Civil, Al Morton, Lianshu Zheng, Reshad Rahman,
Mahesh Jethanandani, Kostas Pentikousis (Ed.)

IETF 94

Yokohama, Japan



TWAMP Logical Model

[Fig. 3]



[Fig. 5]


[Fig. 4]



[Fig. 6]

<-- TWAMP-Control -->




<-- TWAMP-Test -->



||

NETCONF || RESTCONF



||



||

NETCONF || RESTCONF

||




<-- TWAMP-Control -->

<-- TWAMP-Test -->

Draft Updates since IETF 93 (-01)

- Updated (as promised)
 - admin state parameters for twamp-session-sender and twamp-session-reflector
 - change twamp-session-request:repeat to uint32 from boolean
- YANG model compilation [results](#)



The screenshot shows a web browser window with the address bar containing 'http://www.clai...mpilation.html' and 'www.claise.be/IETFYANGPageCompilation.html'. Below the browser window is a table with the following content:

ietf-twamp@2015-10-19.yang	draft-cmzrjp-ippm-twamp-yang-02.txt	Email Authors	PASSED
----------------------------	---	-------------------------------	--------

Way Forward

- The author team has basically completed its work on this individual draft
- We would like to ask WG adoption