

# Updates to various drafts

Varun Singh  
Yokohama, IETF94  
05.11.2015

# RFC6958

[http://www.rfc-editor.org/errata\\_search.php?rfc=6958&eid=4424](http://www.rfc-editor.org/errata_search.php?rfc=6958&eid=4424)


- Errata needs to be updated to say:
  - 12 bits in the packet format is correct and instead the text needs to be fixed.
- How do I update the errata?



# Independent burst-gap-discard

- RFC7003 needed to be sent with RFC6958
  - A limitation because burst/gap loss and discard assumed to be correlated
  - Experience shows that they are not in wireless environments
- New draft:
  - <https://tools.ietf.org/html/draft-singh-xrblock-independent-burst-gap-discard-01>

# Packet Format



- Number of bursts in the loss report is 12 bits, here 16 bits
- Discard count has a separate report. Should it be added here?

# Extended Report (XR) Metrics for the WebRTC Statistics API

- WEBRTC WG at TPAC chose to use the W3C Statistics document as a place to document the statistics.
  - i.e., will not use an IANA registry
  - The W3C document will need to have some text on how other SDOs will be able to pick identifiers
- This draft creates an registry and assigns names/identifiers.

# Next Steps

- All open issues closed.

**Name:** burstDiscardCount

**Definition:** The cumulative number of bursts of discarded RTP packets, Appendix A (e) of [I-D.singh-xrblock-independent-burst-gap-discard].

[RFC3611] recommends a Gmin (threshold) value of 16 for classifying packet loss or discard burst.

- Ready for WGLC.