Planning for Protocol Transitions draft-iab-protocol-transitions-02

Dave Thaler <dthaler@microsoft.com>


There are different types of transitions

- Transition (n.): the process or a period of changing from one state or condition to another
- Technical transitions
 - IPv6, DNSSEC, https, IDN, EAI, ...
- Organizational transitions
 - IANA, web site host, ...
- Focus is on <u>protocol</u> transitions (though some principles will probably also apply to other kinds)

Some principles from RFC 5218

- Incentive: Easiest when benefits come to those bearing the costs
 - To succeed, the benefits must outweigh the costs at <u>each</u> entity
- Incremental Deployability: Backwards compatibility is easier
 - Easiest when changing <u>only</u> one entity still benefits that entity
- Total Cost: Don't underestimate the costs of things other than the hardware/software
 - Operational tools and processes, training, accounting/billing, legal, etc.
- Extensibility: Design for extensibility so that things can be fixed up later

Example Cost/Benefit Graphs



Some Observations From ITAT Workshop (RFC 7305)

- Early-Adopter Incentives: Part of bitcoin's strategy was extra incentives for early adopters
- Policy Partners: Policy-making orgs (RIRs, ICANN, etc.) can be important partners

Transition vs Co-existence

- Backwards compatibility means no significant difference
- Else either need transition (i.e. replacement) or co-existence (i.e., overlap period)
 - "Flag day" style transition increasingly impractical as number of entities involved increase
 - Coexistence increases costs during overlap period
 - An extended overlap period might result in further deployment of old mechanism

Any transition strategy for a non-backward-compatible mechanism should include a discussion of duration of overlap period (if any)

Backward compatibility, or lack thereof

- A translation/adaptation layer is often required if the mechanisms are not interoperable.
- Translation in the middle of the path can hamper end-to-end
- Translation at the end can be a resource issue if in a constrained node

Any transition strategy for a non-backward-compatible mechanism should include a discussion of where it is placed and a rationale.

What makes for a good transition plan?

- 1. Explanation of incentives for each entity involved
- 2. Description of phases
 - e.g.: pilot, co-existence, deprecation, removal
- 3. Timeline
- 4. Way to communicate it to entities affected and incorporate feedback