Bench Marking of EVPN/PBB-EVPN draft-kishjac-bmwg-evpntest-03.txt

By

Kishore Tiruveedhula(kishoret@juniper.net)

Sudhin Jacob(sjacob@juniper.net)


What is EVPN

- EVPN is defined in RFC 7432.
- The dual home PE's simultaneously forward traffic compared to VPLS.
- Has load balancing capability.

Comments from IETF-96

- Combine both drafts pbb-evpn and evpn in to one master draft.
- Use RFC 2889 for data plane learning.
- Removing reliability section
- Scale must be a variable like 'X' EVI, 'M' macs etc.

Topology



Traffic generator sending layer 2 frames with tag

Benchmarking Parameters of EVPN

- Mac learning
- Mac Flush
- Mac ageing
- HA
- Scale
- Convergence
- Soak

Measurement – Mac learning

- Measure time taken to learn local mac.
- Measure the time taken to advertise to remote peer.
- Measure the time taken to learn mac routes from remote peer.
- Measure the time taken to learn both local and remote in bi directional traffic flow.

Measurement – Mac Ageing

- Measure the time taken to age out the mac once traffic stop locally.
- Measure the time taken to age out mac learned from remote peer once the traffic stops at remote end.

Measurement – Mac flush

- Measure the time taken to flush the local mac entries during local link failure.
- Measure the time taken to flush remote mac entries in DUT during remote PE-CE link failure.

Measurement HA– Routing Engine Failover

• Measure the traffic loss during the HA mode routing engine failover, ideally there should be 0 packet loss.

Measurement-Scale

• N EVI with mac scale of X macs. Learning of all X mac, measure the time taken to learn this x/2 mac locally and x/2 remotely.

Measurement Convergence

• Measuring the scale of N EVI with mac scale of X. Learning of all X mac, after that simulate core failure or bgp flap. measure the time taken to learn X from remote peer by DUT measure the time period of flood in core towards DUT from remote peer.

Measurement SOAK

• Measuring the scale of N EVI with mac scale of X. Run this for 24 hr. The DUT should not have any cores or memory leak.

Next Steps

- Draft Must be reviewed.
- Requesting the chair for adoption.

Thank you